


eodem minorem. Sit  $A:B::B:D$ ,  $\frac{12C + 4B - D}{15}$  minor erit quam

arcus ABC; differentia autem in semi-circumferentia minor erit quam ip-  
sius  $\frac{1}{10000}$ , & in quadrante minor quam ipsius  $\frac{1}{20000}$ . Inter has approxima-  
tiones sit maxima, penultima sex continue *Arithmetice* proportionalium,  
quæ minor erit quam arcus, differentia autem, in semi-circumferentia mi-  
nor erit quam ejusdem  $\frac{1}{13000}$ , et in quadrante minor quam ejusdem  $\frac{1}{26000}$ .  
Sed hæc levia mihi videntur, cum possim Approximationes exhibere, quæ  
ab ipsa semi-circumferentia differant minori intervallo, quam quælibet e-  
jus pars assignata, neque nobis amplius apparent hæc mirabilia, cum de-  
monstratio solida innotescat. Ad reliqua ab *Hugenio* publicata, cum à meo  
instituto sint aliena, nihil dico, nisi quod ipsa *Hugenii* dicta (non obstante  
exactissima sua, ut ait, materiæ hujus examinatione à meæ *Appendicula*  
factis, ni fallor, longe superentur. Vale. Decemb. 15. 1668.

Figura *Hugenii* hæc est, quam ipse hoc sensu, licet Gal ice, sic explicat.  
Sit Arcus Circuli, qui non excedat semi-circumferentiam, ABC, cujus sub-



tensa sit AC; & divi-  
dantur ambo in partes  
æquales per lineam  
BD. Ducta subtensa  
AB, capias inde  $\frac{2}{3}$ , eaf-  
que jungas inde ab A  
ad E in linea CA  
protracta. Dein, re-  
secta lineæ DE parte  
decima EF, ducas FB, & tandem BG, ipsi perpendicularem: & habebis  
lineam AG æqualem Arcui ABC, cujus excessus tantillus erit, ut etiam tunc,  
quando hic arcus æqualis erit semi-circumferentiæ Circuli, futura non sit  
differentia  $\frac{1}{14000}$  suæ longitudinis; at quando non est nisi tertiæ partis circum-  
ferentiæ, differentia non erit  $\frac{1}{13000}$ ; et si non sit nisi quartæ partis, non  
differet nisi  $\frac{1}{20000}$  suæ longitudinis.

### An Extract

*Of the Anatomical Account, written and left by the famous Dr.  
Harvey, concerning Thomas Parre, who died in London at  
the Age of 152 years and 9 moneths.*

**T**HIS Account is annexed to a Book, lately publisht in *Latin*  
by Dr. *John Betts* M. D. one of his Majesties Physicians  
in Ordinary, and Fellow of the *London-Colledge* of those of  
that Profession: In which Treatise (to touch that briefly) the Au-  
thor endeavors to shew, that *Milk*, or something Analogous to  
it,

it, is the universal nourishment of all living Creatures, and the immediate and whole *Matter of Blood*; whence, and from the three parts whereof, *viz.* the Butyraceous, Serous, and Caseous, and their various concoction in the Stomach, and constitution in the Veins, he would deduce the different nature of the Humors and Spirits composing the blood; as from the different Quantity and Quality of these, he would derive the whole business of Health, and Sickness, and the method of Cure.

But as to the Observations made upon the Person and Dissection of *Thom. Parre*, 'tis noted;

1. That he was a poor Countryman of *Shropshire*, whence he was brought up by the Right Honorable *Thomas* Earl of *Arundel* and *Surrey*, and that he dyed, after he had out-lived nine Princes, in the tenth year of the *Tenth* of them, at the age of 152 Years and 9 Months.

2. That being open'd after his death (*viz.* *An. 1635. Novemb. 16.*) his body was found yet very fleshy, his breast hairy, his Genitals unimpaired, serving not a little to confirm the report of his having undergone publick Censures for his incontinency; especially seeing that after that time, *viz.* at the age 120 years, he married a Widow, who owned, *Eum cum ipsa rem habuisse, ut alii mariti solent, & usque ad 12 annos retroactos solitum cum ea congressum frequentasse.* Further, that he had a large Breast, Lungs not fungous, but sticking to his ribs, and distended with much blood; a lividness in his face, as he had a difficulty of breathing a little before his death, and a long-lasting warmth in his Arms, pits and Breast after it (which sign together with others were so evident in his Body, as they use to be in those, that die by suffocation.) His Heart was great, thick, fibrous, and fat. The blood in the Heart blackish and dilute. The Cartilages of the Sternum not more bony, than in others, but flexile and soft. His Viscera very sound and strong, especially the Stomach; and it was observ'd of him that he used to eat often by night and day, though contented with old Cheese, Milk, coarse Bread, small Beer, and Whey; and which is more remarkable, that he did eat at Midnight, a little before he died. His Kidneys cover'd with fat, and pretty sound; only in the anterior surface of them there were found some aqueous or serous (as 'twere) abscesses, whereof one was near the bigness of a Hen-egge, with a yel-

lowish water in it, having made a roundish cavity, impressed in that kidney: whence some thought it came, that a little before his death a suppression of Urine had befallen him; though others were of opinion, that his Urin was suppressed upon the regurgitation of all the Serosity into the Lungs. Not the least appearance there was of any *Stony* matter either in the Kidneys or Bladder. His *Bowels* were also sound, a little whitish without. His *Spleen* very little, hardly equalling the bigness of one Kidney. In short, all his inward parts appear'd so healthy, that if he had not changed his Dyet and Air, he might perhaps have lived a good while longer.

3. The Cause of his death was imputed chiefly to the change of *Food* and *Air*; forasmuch as coming out of a clear, thin, and free Air, he came into the thick Air of *London*, and after a constant, plain, and homely Country-diet, he was taken into a splendid Family, where he fed high, and drunk plentifully of the best wines, whereupon the natural functions of the parts of his body were over-charged, his Lungs obstructed, and the habit of the whole Body quite disorder'd; upon which there could not but soon ensue a dissolution.

4. His *Brain* was found entire and ferme: And though he had not the use of his Eyes, nor much of his Memory, several years before he died; yet he had his Hearing and Apprehension very well, and was able even to the hundred and thirtieth year of his Age to do any Husbandmans work, even Threshing of Corn.

*An Account of two Books,*

I. *De VISCERUM STRUCTURA Exercitatio Anatomica* MARCELLI MALPIGHII, *Philos. & Med. Bonon, &c. Bononiæ 1666. in 4<sup>o</sup>.*

A Copy of this Ingenious Book was transmitted by the Author himself to the Publisher, and there being as yet no other Copies of it in *England*, at least not among Stationers, some Account of the Contents thereof will, 'tis thought, not be unacceptable to the Curious, whilst either more of them be procured out of *Italy*, or the Book it self be reprinted here; which latter I now find actually a doing in 12. by Mr. *John Martyn*.

It contains 5. Dissertations: Of the *Liver*; the *Exterior*  
part